






30 TEK DÖNÜŞLÜ ISO




30 SINGLE ROTATION ISO

30 SERIES GEAR PUMPS
30 SERİSİ DİŞLİ POMPAHYDRAULIC PUMPS
HİDROLİK POMPA

POMPA KODU PUMP CODES	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pik Basınç (Pmax)
GPTD300170131-OA	RIGHT/SAĞ	17	201	126	R1/2"-14	R1/2"-14	265	300
GPTD300170132-OA	LEFT/SOL							
GPTD300270131-OA	RIGHT/SAĞ	27	208	130	R3/4"-14	R3/4"-14	260	290
GPTD300270132-OA	LEFT/SOL							
GPTD300340131-OA	RIGHT/SAĞ	34	183	132	R1"-11	R1"-11	250	280
GPTD300340132-OA	LEFT/SOL							
GPTD300430131-OA	RIGHT/SAĞ	43	190	135	R1 1/4"-11	R1 1/4"-11	240	270
GPTD300430132-OA	LEFT/SOL							
GPTD300510131-OA	RIGHT/SAĞ	51	193	137			220	250
GPTD300510132-OA	LEFT/SOL							
GPTD300610131-OA	RIGHT/SAĞ	61	201	138			210	240
GPTD300610132-OA	LEFT/SOL							
GPTD300820131-OA	RIGHT/SAĞ	82	315	147			180	220
GPTD300820132-OA	LEFT/SOL							

30 BI-ROTATIONAL ISO 4 PORTS




30 ÇİFT DÖNÜŞLÜ ISO 4 PORTLU



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pik Basınç (Pmax)
GPCD300340133-OA	BI-ROTATIONAL-ÇİFT	34	185	132	R3/4"-14	R3/4"-14	250	280
GPCD300430133-OA	BI-ROTATIONAL-ÇİFT	43	193	135			240	270
GPCD300510133-OA	BI-ROTATIONAL-ÇİFT	51	196	137	R1"-14	R1"-14	220	250
GPCD300610133-OA	BI-ROTATIONAL-ÇİFT	61	202	138			210	240
GPCD300820133-OA	BI-ROTATIONAL-ÇİFT	82	212	147			180	220

30 TEK DÖNÜŞLÜ UNI

30 SINGLE ROTATIONAL UNI






30 SERIES GEAR PUMPS
30 SERİSİ DİŞLİ POMPA

HYDRAULIC PUMPS
HİDROLİK POMPALAR

CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pik Basınç (Pmax)
GPTD300170011-OA	RIGHT/SAĞ	17	150,5	105,5	R1/2"-14	R1/2"-14	265	300
GPTD300170012-OA	LEFT/SOL							
GPTD300270011-OA	RIGHT/SAĞ	27	157,5	109,5	R3/4"-14	R3/4"-14	260	290
GPTD300270012-OA	LEFT/SOL							
GPTD300340011-OA	RIGHT/SAĞ	34	162,5	111,5	R1"-11	R3/4"-14	250	280
GPTD300340012-OA	LEFT/SOL							
GPTD300430011-OA	RIGHT/SAĞ	43	169,5	114,5	R1"-11	R1"-11	240	270
GPTD300430012-OA	LEFT/SOL							
GPTD300510011-OA	RIGHT/SAĞ	51	172,5	116,5	R1 1/4"-11	R1"-11	220	250
GPTD300510012-OA	LEFT/SOL							
GPTD300610011-OA	RIGHT/SAĞ	61	180,5	117,5	R1 1/4"-11	R1"-11	210	240
GPTD300610012-OA	LEFT/SOL							
GPTD300820011-OA	RIGHT/SAĞ	82	294,5	126,5	R1 1/4"-11	R1"-11	180	220
GPTD300820012-OA	LEFT/SOL							

30 BI-ROTATIONAL UNI 4 PORTS



30 ÇİFT DÖNÜŞLÜ UNI 4 PORTLU



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (P _{nom})	Max. Peak Pressure Max. Pik Basınç (P _{max})
GPCD300340013-OA	BI-ROTATIONAL-ÇİFT	34	178	125	R3/4"-14	R3/4"-14	250	280
GPCD300430013-OA	BI-ROTATIONAL-ÇİFT	43	186	128			240	270
GPCD300510013-OA	BI-ROTATIONAL-ÇİFT	51	189	130	R1"-14	R1"-14	220	250
GPCD300610013-OA	BI-ROTATIONAL-ÇİFT	61	195	131			210	240
GPCD300820013-OA	BI-ROTATIONAL-ÇİFT	82	205	140			180	220

35 SINGLE ROTATIONAL ISO




35 TEK DÖNÜŞLÜ ISO



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç(Pnom)	Max. Peak Pressure Max. PİK Basınç (Pmax)
GPTD350900131-OA	RIGHT/SAĞ	90	211	138,5	R1 1/4"-11	R1"-1	220	250
GPTD350900132-OA	LEFT/SOL							
GPTD351100131-OA	RIGHT/SAĞ	110	219	146,5	R1 1/4"-11	R1"-1	210	240
GPTD351100132-OA	LEFT/SOL							

35 ÇİFT DÖNÜŞLÜ ISO



35 BI-ROTATIONAL ISO



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Baskı (Pnom)	Max. Peak Pressure Max. PİK Baskı (Pmax)
GPCD350900133-OA	BI-ROTATIONAL-ÇİFT	90	209	141	R1 1/4"-11	R1 1/4"-11	210	250
GPCD351100133-OA	BI-ROTATIONAL-ÇİFT	110	217	149			200	240

35 SINGLE ROTATIONAL UNI




35 TEK DÖNÜŞLÜ UNI



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (P _{nom})	Max. Peak Pressure Max. Pik Basınç (P _{max})
GPTD350900011-OA	RIGHT/SAĞ	90	191	118,5	R1 1/4"-11	R1"-1	220	250
GPTD350900012-OA	LEFT/SOL							
GPTD351100011-OA	RIGHT/SAĞ	110	199	126,5	R1 1/4"-11	R1"-1	210	240
GPTD351100012-OA	LEFT/SOL							

35 ÇİFT DÖNÜŞLÜ UNI



35 BI-ROTATIONAL UNI



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pık Basınç (Pmax)
GPCD350900013-OA	BI-ROTATIONAL-ÇİFT	90	189	121	R1 1/4"-11	R1 1/4"-11	210	250
GPCD351100013-OA	BI-ROTATIONAL-ÇİFT	110	197	129			200	240

40 SINGLE ROTATIONAL ISO




40 TEK DÖNÜŞLÜ ISO



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pık Basınç (Pmax)
GPTD400630131-OA	RIGHT/SAĞ	63	202	139	R1"-11	R3/4"-14	250	285
GPTD400630132-OA	LEFT/SOL							
GPTD400730131-OA	RIGHT/SAĞ	73	207	142	R1 1/4"-11	R1"-11	240	275
GPTD400730132-OA	LEFT/SOL							
GPTD400870131-OA	RIGHT/SAĞ	87	210	144	R1 1/2"-11	R1"-11	220	250
GPTD400870132-OA	LEFT/SOL							
GPTD401090131-OA	RIGHT/SAĞ	109	218	145	R1 1/2"-11	R1"-11	210	240
GPTD401090132-OA	LEFT/SOL							
GPTD401330131-OA	RIGHT/SAĞ	133	233	145	R1 1/2"-11	R1"-11	200	230
GPTD401330132-OA	LEFT/SOL							
GPTD401510131-OA	RIGHT/SAĞ	151	241	148	R1 1/2"-11	R1"-11	170	210
GPTD401510132-OA	LEFT/SOL							

40 ÇİFT DÖNÜŞLÜ ISO




40 BI-ROTATIONAL ISO



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pik Basınç (Pmax)
GPCD400730133-OA	BI-ROTATIONAL-ÇİFT	73	207	140	R1"-11	R1"-11	240	275
GPCD400870133-OA	BI-ROTATIONAL-ÇİFT	87	212	144	R1"-11	R1"-11	220	250
GPCD401090133-OA	BI-ROTATIONAL-ÇİFT	109	219	145	R1 1/4"-11	R1 1/4"-11	210	240

40 SINGLE ROTATIONAL UNI




40 TEK DÖNÜŞLÜ UNI



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (P _{nom})	Max. Peak Pressure Max. Pik Basınç (P _{max})
GPTD400630011-OA	RIGHT/SAĞ	63	191	128	R1"-11	R3/4"-14	250	285
GPTD400630012-OA	LEFT/SOL							
GPTD400730011-OA	RIGHT/SAĞ	73	196	131	R1 1/4"-11	R1"-11	240	275
GPTD400730012-OA	LEFT/SOL							
GPTD400870011-OA	RIGHT/SAĞ	87	199	133	R1 1/4"-11	R1"-11	220	250
GPTD400870012-OA	LEFT/SOL							
GPTD401090011-OA	RIGHT/SAĞ	109	207	134	R1 1/2"-11	R1"-11	210	240
GPTD401090012-OA	LEFT/SOL							
GPTD401330011-OA	RIGHT/SAĞ	133	222	134	R1 1/2"-11	R1"-11	200	230
GPTD401330012-OA	LEFT/SOL							
GPTD401510011-OA	RIGHT/SAĞ	151	230	137	R1 1/2"-11	R1"-11	170	210
GPTD401510012-OA	LEFT/SOL							

40 ÇİFT DÖNÜŞLÜ UNI

40 BI-ROTATIONAL UNI



CODE KOD	ROTATION YÖN	DISPLACEMENT DEBİ (Lt/min)	A (mm)	B (mm)	INLET GİRİŞ (C)	OUTLET ÇIKIŞ (D)	Max. Continuous Pressure Max. Sürekli Basınç (Pnom)	Max. Peak Pressure Max. Pik Basınç (Pmax)
GPCD400730013-OA	BI-ROTATIONAL-ÇİFT	73	196	129	R1"-11	R1"-11	240	275
GPCD400870013-OA	BI-ROTATIONAL-ÇİFT	87	201	133	R1"-11	R1"-11	220	250
GPCD401090013-OA	BI-ROTATIONAL-ÇİFT	109	208	134	R1 1/4"-11	R1 1/4"-11	210	240